
Red: PAINTED ITEMS

Blue: KITS

ITEM NO.	PART NO.	QTY.	DESCRIPTION
1	01-1011	2	Allen Socket Cap Head Bolt Serrated Shoulder M12-1.75x70mm
2	01-4134	12	SCREW,M12 X 1.75,35mm,BHC,HK, ZP
3	01-9315	4	BOLT,M6X1.00,16MM,HHC,HE,CS
4	01-9319	2	SCREW,M10 X 1.5,90MM,BHC,HK, ZP
5	01-9320	4	SCREW,M12 X 1.75,25MM,BHC,HK, ZP
6	01-9324	8	BOLT, M8 X 1.25 20MM HHC HE ZP
7	01-9331	4	BOLT,M12 X 1.5,20MM,HHC , ZP
8	02-4086	8	SCREW, M6 X 16 PAN TORX, ZP, THD FORMER
9	02-9329	8	SCREW M10 X 1.5, 25 MM BHC HK, ZP
10	020-6994	4	GRIP, SUPPORT, PLASTIC, HS
11	03-4067	4	EXTRUDED U-NUT M8 X 1.25
12	03-4248	6	Cage Nut 10mm for Panel 4.1 - 5.3mm
13	03-5203	2	NUT,M10x1.5,ACORN, CL6
14	03-5204	10	NUT,M12x1.75,ACORN, CL6
15	03-9081	12	M12 X 1.75 Blind Rivnut
16	04-5252	52	LOCK WASHER, M8
17	04-5253	14	LOCK WASHER, M10
18	04-5256	22	LOCK WASHER M12
19	050-2212	2	STICKER,SWITCH,HS
20	050-2213	2	DECAL, WEIGHT STACK - HS
21	050-2224	1	STICKER,LNL, HS (LEFT & RIGHT)
22	050-2225	2	DECAL, WARNING MULTI LANGUAGE - HS
23	050-5420	1	PLACARD, HSTL3, RIGHT
24	050-5421	1	PLACARD, HSTL3, LEFT
25	06-8013	1	CABLE HSTL2 RIGHT
26	06-8013	1	CABLE HSTL2 LEFT
27	09-8172	4	1 3/4 DIA HOLE PLUG
28	09-8341	10	120mm OD pulley with 17mm ID Bearing
29	12-1655	8	PLUG-PRY OUT, .205 DIA
30	12-8008	1	TAG, ASSEM. DIMS, HSTL
31	12-8023	1	Made In USA-Core Decal
32	12-8024	1	DECAL, NAUTILUS,DECO, 0.91” x 3.90”
33	12-8025	2	DECAL, HUMANSPORT, 3.12” x 23” (tower)
34	19-1052	1	SERIAL NUMBER DECAL
35	19-9070	1	HumanSport Weight Stack Spacer Box
36	19-9072	2	HumanSport Cardboard padding
37	19-9074	2	HumanSport Corrugated Angle Pad
38	19-9076	1	PALLET 31" x 46"
39	27-0009	1	Swivel Bracket Top Left HSTL2
40	27-0010	1	Swivel Bracket Top Right HSTL2
41	27-0011	1	Swivel Bracket Bottom Left HSTL2
42	27-0012	1	Swivel Bracket Bottom Right HSTL2
43	27-0024	1	Mat, HSTL2
44	27-0035	8	Cover, Pulley, Flat Steel
45	27-0036	12	SPACER, PULLEY BRACKET, HUMAN SPORT
46	27-0037	2	Bracket, Pulley Top Left, HSTL2
47	27-0038	2	Bracket, Pulley Top Right, HSTL2
48	27-0040	2	Bracket, Pulley Top Weight, Front, HS
49	27-0041	2	Bracket, Pulley Top Weight, Rear, HS
50	27-0047	4	ASSY,SWIVEL,HANDLE,HUMAN SPORT
51	27-0058	2	Plate, Lower Spacer, Side Tower Swivel Brackets, HSTL2
52	27-0060	1	Shield, HS Tower, Front, Left
53	27-0061	1	Shield, HS Tower, Front Right
54	27-0062	1	Shield, HS Tower, Rear
55	27-0063	2	Shield, HS Tower, Left/Right
56	27-0090	2	Plate, Upper Spacer, Side Tower Swivel Brackets, HSTL2
57	27-0091	4	Finger Guard HS
58	27-0114	4	Cap, Corner Platform, HSPL & HSTL
59	27-0127	1	Rear Kickplate, SS, HS Total Legs (CAPS)
60	27-0128	1	Front Left Kickplate, SS, HS Total Legs (CAPS)
61	27-0129	1	Front Right Kickplate, SS, HS Total Legs (CAPS)
62	27-0130	1	Left Trim SS, HS Total Legs (CAPS)
63	27-0131	1	Right Trim SS, HS Total Legs (CAPS)
64	60-2000	1	Human Sport Weight Tower
65	61-2006B	1	Crossmember, HSTL2 Platform
66	61-2007B	1	HSTL2 CROSSMEMBER
67	61-2008	1	HSTL2 Top Plate Assembly
68	62-2000	1	Handlebar, HSTL2
69	730-0139	2	HARNDESS, TOE, HS
70	730-0140	2	HARNESS, HEEL, HS
71	730-0143	4	CLIP, CARABINER, 1/4" DIA X 2 3/4 L.
72	730-1559	4	GUIDE RODE,Ø22MM X 1438MM
73	731-0040	2	STOP,Ø50X26,RUBBER
74	731-0111	4	STOP,BUMPER,WGT PLT
75	731-0112	4	SET COLLAR, GUIDE ROD, 22.4mm I.D.
76	731-0124	4	CAP,GUIDE ROD,RUBBER
77	731-0165	16	CAP,PLASTIC,PULLEY,Ø120mm
78	731-0169	10	SCREW, M8X1.25,20MM, BHC, HK, ZP
79	731-0209	2	CAP, END, 110 X 50
80	731-0225	2	SCREW,M3.5 X 9.5,SELF TAPPING
81	731-0359	9	SCREW,M8 X 1.25,25mm,BHC,HK, ZP
82	731-0362	10	SCREW,M10 X 1.5,45MM,BHC,HK, ZP
83	731-0363	2	NUT,M10X1.5,NYLOC
84	731-0364	2	SCREW, M8X1.25, 45mm, BHC, HK, ZP
85	731-0365	24	NUT,M8 X 1.25,NYLOC JAM
86	731-0367	20	WASHER,PLAIN,M10
87	731-0368	4	SCREW,M8 X 1.25,40mm,BHC,HK, ZP
88	731-0373	4	WASHER,PLAIN,M6
89	731-0389	10	SCREW,M8 X 1.25,35mm,BHC,HK, ZP
90	731-0397	4	SCREW,M8 X 1.25,25mm,FHM,HK, ZP
91	731-0512	6	STICKER,CAUTION,PINCH
92	731-0517	1	STICKER, WARNING, BOLT DOWN
93	731-1448	8	NUT,M8 x 1.25,ACORN, CL6
94	731-2647	4	FOOT,LONG,LEVERAGE
95	731-5725	7	RIVET NUT, HEX HEAD,M8
96	91-999	1	Paint (1.5 lbs)
97	95-0695	1	Human Sport Carbon Fiber Trim Kit
98	95-0785	2	KIT, HUMAN SPORT, PULLEY, ROLLED EDGE (W/O C-WEIGHT)
99	95-0785	2	KIT, HUMAN SPORT, PULLEY, ROLLED EDGE (W/O C-WEIGHT)
100	OPT-WT-33	1	Human Sport Weight Stack-Left
101	OPT-WT-33	1	Human Sport Weight Stack-Right
102	SM20473	1	TYRAP, 1/8" X 4"



HUMAN SPORT TOTAL LEG

HSTL3


REV K


Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)


support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.

Red: PAINTED ITEMS
Blue: KITS

HSTL3		
Description	US	Metric
Width	65"	165cm
Depth	38"	97cm
Height	66"	168cm
Weight	758 lbs	344 Kgs







HUMAN SPORT TOTAL LEG
HSTL3


REV K


Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)


support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.


Red: PAINTED ITEMS

Blue: KITS









Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)

support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.


NOTE:
DECAL APPLICATIOINS IS THE SAME FOR BOTH SIDES.

HUMAN SPORT TOTAL LEG

HSTL3

REV K

Red: PAINTED ITEMS
Blue: KITS




HUMAN SPORT TOTAL LEG
HSTL3

REV K


support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.

Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)

Red: PAINTED ITEMS
Blue: KITS



Deplete inventory of 27-0092 prior to using 730-0139.




HUMAN SPORT TOTAL LEG
HSTL3

REV K


Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)

support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.

Red: PAINTED ITEMS
Blue: KITS



NOTE:
SOME ITEMS HIDDEN
FOR CLARIFICATION



Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)


support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.

HUMAN SPORT TOTAL LEG
HSTL3
REV K

Red: PAINTED ITEMS

Blue: KITS

Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)




support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.


HUMAN SPORT TOTAL LEG


HSTL3

REV K

Red: PAINTED ITEMS
Blue: KITS








Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)

support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.


HUMAN SPORT TOTAL LEG
HSTL3

REV K

Red: PAINTED ITEMS
Blue: KITS



DETAIL F
SCALE 1 : 4




HUMAN SPORT TOTAL LEG
HSTL3

REV K

Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)

support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.

Red: PAINTED ITEMS
Blue: KITS





95-0785


Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)

support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.

HUMAN SPORT TOTAL LEG
HSTL3

REV K

Red: PAINTED ITEMS
Blue: KITS



HUMAN SPORT TOTAL LEGS:
This machine DOES NOT get any counterweights on any of the Swiveling Pulley Brackets.

Bolt Torque Specifications			
Size	Grade 5 CL 8.8 Torque	Grade 8 CL 10.9 Torque	
M4 x 0.7	3.1		(N-m)
M6 x 1.0	10.4	15.5	(N-m)
1/4-20	8	12	(Ft-lbs)
1/4-28	10	14	(Ft-lbs)
M8 x 1.25	25	37	(N-m)
5/16-18	17	25	(Ft-lbs)
M10 x 1.5	51	75	(N-m)
3/8-16	30	45	(Ft-lbs)
M12 x 1.75	140	205	(N-m)
7/16-14	50	70	(Ft-lbs)
1/2-13	75	110	(Ft-lbs)
1/2-20	90	120	(Ft-lbs)
5/8-11	150	220	(Ft-lbs)
5/8-18	180	240	(Ft-lbs)

HUMAN SPORT TOTAL LEG
HSTL3

REV K

support.nautilusstrength.com
1-800-503-1221
General Parts Requests: parts@nautiluscommercial.com
Core Health and Fitness, LLC.